


International Conference on Mathematical Modeling and Computational Physics

MMCP'2017

Book of abstracts

3–7 July, 2017

Dubna, Russia



Contents

Plenary session

Chetverushkin B.N. Solution of magnetogasdynamics problems with the help of high performance computer systems	17
Honkonen J. Fractional stochastic field theory	17
Kudryashov N. Higher-order partial differential equations for description of the Fermi-Pasta-Ulam and the Kontorova-Frenkel models.....	17
Lazarov R., Jin B., Zhou Z. Petrov-Galerkin finite element method for fractional advection-dispersion equations.....	19
Semanišin G., Galčík F., Katrenič J. On the load balancing problem	19
Adam Gh., Adam S. Disentangling complexity in Bayesian automatic adaptive quadrature	20
Zavodinsky V., Gorkusha O. A new orbital free simulation method based on the density functional theory	21
Tsyganov Yu. An attempt to build a smart real-time system for heavy element research: approaches, mathematical objects, algorithms, equations.....	21
Polyakov S., Podryga V. Multiscale multilevel approach to solution of nanotechnology problems	22
Surzhykov A., Artemyev A. Computational methods in relativistic atomic physics.....	23
Belostotsky A., Akimov P., Afanasyeva I. Contemporary problems of numerical modeling of unique structures, buildings and complexes.....	23
Melezhik V.S. Mathematical modeling of resonant processes in confined geometry of atomic and atom-ion traps	24
Kisel I. Online event reconstruction in the CBM experiment at FAIR.....	25
Dikusar N. Shape approximation based on higher-degree polynomials.....	25
Safouhi H., Slevinsky R. Generalized techniques in numerical integration.....	26
Lakhno V. Dynamical and thermodynamic electronic properties of DNA.....	26
Riznichenko G. Kinetic, Monte-Carlo and multiparticle models of the processes in photosynthetic membrane.....	27
Ustinin M., Rykunov S. Precise frequency-pattern analysis reveals the functional structure of complex systems	28
Cannistraci C. Machine learning and complex networks for precision and systems biomedicine	29
Shirmovsky S. Quantum dynamics of a hole migration through DNA	30
Incerti S. Monte Carlo simulation of early biological damage induced by ionizing radiation at the DNA scale: overview of the Geant4-DNA project	30

Carloni P.	
Multiscale simulations of targets for pharmacological relevance	31
Isar A.	
Dynamics of quantum correlations in bipartite Gaussian open quantum systems	32
Gerdt V., Lyakhov D., Michels D., Weber A.	
Partial analytical integration of stiff nonlinear Cosserat partial differential equations and its application to simulation of slender structures	32
Shapeev V.	
New possibilities and applications of the method of collocations and the least residuals	33
Kornyak V.	
Modeling quantum behavior in the framework of permutation groups	33
Fel'dman E.	
Quantum correlations in bipartite systems	34
Edneral V.	
Usage power geometry and normal form methods in simulation of degenerated nonlinear ODEs study	35

Modeling of physical processes and computational methods

Ayryan E., Egorov A., Kulyabov D., Malyutin V., Sevastyanov L.	
Functional integral approach to system of stochastic differential equations.....	39
Chuluunbaatar O., Kouzakov K.A., Galstyan A.G., Popov Yu.V., Schöffler M.S.	
Fully differential cross sections for single ionizing 1-MeV p+He collisions at small momentum transfer	40
Deveikis A.	
Application of harmonic oscillator basis with different size parameters for calculation of ground state energy of Coulomb three-body systems	40
Hnatič M., Khmara V.M., Lazur V.Yu., Reity O.K.	
Quasicrossings of the energy terms in the two-Coulomb-centre problem	41
Honkonen I., Honkonen J.	
Modeling turbulence via numerical functional integration	42
Ishmukhamedov I., Melezhik V.	
Finite-difference splitting scheme for three-dimensional Schroedinger equation, describing tunneling from anharmonic atomic traps.....	42
Kačala V., Török C.	
Optimal approximation of biquartic polynomials by bicubic splines	43
Kazakov D., Nikonov E.	
Mechanism of controlling the process of the convergence of the Newton iteration method.....	43
Khruschev S., Plyusnina T.	
Spectral multi exponential approximation as a robust tool for analysis of complex systems	44
Kostenko B.	
Modeling the quarks' helicity flipping stimulated by their confinement potential	45
Kryanev A., Ivanov V., Sevastianov L., Udumyan D.	
Extrapolation of functions of many variables by means of metric analysis.....	46
Kulikov K., Shukrinov Yu., Nashaat M., Dawood R., El Samman H., El Sherbini Th.	
Modelling of the high temperature superconductors at nonequilibrium conditions.....	46
Kutukov A.	
Numerical modelling of normal and superconducting properties of the doped graphene	47
Lyubin P., Schetinin E.	
Asymptotics for penalized splines	47

calculations of the ground state energies of these systems using the proposed basis with different size parameters converge much faster than in the traditional treatment with only one oscillator length. Particularly, for systems with molecular character the second nonlinear variational parameter is vital for reasonable convergence. The results obtained in basis with different sizes are compared with the ones calculated in traditional basis with the same oscillator length for each Jacobi coordinate and with those given in the literature [2].

References

3. *Deveikis A.* Problems with translational invariance of three-particles systems // *J. Mod. Phys.* Vol. 7. 2016. Pp. 290-303. – <http://dx.doi.org/10.4236/jmp.2016.73029>
4. *Liverts E.Z., Barnea N.* Three-body systems with Coulomb interaction. Bound and quasi-bound S-states // *Comput. Phys. Commun.* Vol. 184. 2013. Pp. 2596-2603. – <http://dx.doi.org/10.1016/j.cpc.2013.06.013>.

QUASICROSSINGS OF THE ENERGY TERMS IN THE TWO-COULOMB-CENTRE PROBLEM

Hnatič M.^{1,2}, Khmara V.M.¹, Lazur V.Yu.³, Reity O.K.³

*hnatic@saske.sk, viktor.khmara@student.upjs.sk, volodymyr.lazur@uzhnu.edu.ua,
oleksandr.reity@uzhnu.edu.ua*

¹ Institute of Physics, P.J. Šafárik University in Košice, Košice, Slovakia

² BLTP, Joint Institute for Nuclear Research, Dubna, Russia

³ Department of Theoretical Physics, Uzhgorod National University,
Uzhhorod, Ukraine

The first three corrections to the bound state energy, separation constants, and wavefunctions of hydrogen-like ion in the field of remote ($R \gg 1$) point charge are calculated by means of the modified perturbation theory. The consistent scheme for obtaining WKB expansions for solutions of the quasiangular equation in quantum mechanical two-Coulomb-centre problem $Z_1 e Z_2$ is developed. In the framework of this scheme, the quasiclassical angular Coulomb spheroidal wavefunctions for large distances between the fixed positive charges (nuclei) are constructed for the below-barrier motion of the negative particle (electron). The quasiclassical expression for the exchange interaction ΔE of potential curves at the points of their quasicrossing is found. It can be used further for the calculation of cross sections of charge exchange processes between hydrogen or hydrogen-like atoms and bare nuclei.