



Wiadomości Lekarskie

Official journal of the Polish Medical Association



Memory of
dr Władysław
Biegański

VOLUME LXXIII, ISSUE 5, MAY 2020

Since 1928



ALUNA Publishing House

Wiadomości Lekarskie is abstracted and indexed in: PUBMED/MEDLINE, SCOPUS, EMBASE, INDEX COPERNICUS, POLISH MINISTRY OF SCIENCE AND HIGHER EDUCATION, POLISH MEDICAL BIBLIOGRAPHY

Copyright: © ALUNA Publishing House.

Articles published on-line and available in open access are published under Creative Commons Attribution-Non Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) allowing to download articles and share them with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially.

Wiadomości Lekarskie monthly journal

You can order the subscription for the journal from Wydawnictwo Aluna by:

prenumerata@wydawnictwo-aluna.pl

Wydawnictwo Aluna
Z.M. Przesmyckiego 29
05-510 Konstancin-Jeziorna
Poland

Place a written order first.

If you need, ask for an invoice.

Payment should be done to the following account of the Publisher:

Credit Agricole Bank Polska S. A., SWIFT: AGRIP LPR

account number for Polish customers (PLN):

82 1940 1076 3010 7407 0000 0000

account number for foreign customers (EURO):

57 2490 0005 0000 4600 7604 3035

Subscription of twelve consecutive issues (1-12):

Individual customers in Poland: 240 PLN/year

Customers from other countries: 200 EURO/year

Key subscription rules

By placing an order, you agree on processing and storage of your personal data to the extent necessary to complete the order. More about the use of personal data can be found here: [Personal data protection rules](#). Upon confirmation of acceptance of the order by the Publishing House, the customer is obliged to pay according to the current price list, within 14 days, unless otherwise agreed. Cancellation of a subscription is possible in writing. If you unsubscribe before paying for the order, the customer does not incur additional costs. In the event of cancellation of the subscription after payment of the order, it is possible to reimburse the costs incurred in proportion to the number of journal numbers sent to the customer. More information and detailed rights and obligations of the customer and the publisher in this regard are available at the Publishing House. Please contact us.



Wiadomości Lekarskie

Editor in-Chief:

Prof. Władysław Pierzchała

Deputy Editor in-Chief:

Prof. Aleksander Sieroń

Statistical Editor:

Dr Lesia Rudenko

Polish Medical Association (Polskie Towarzystwo Lekarskie):

Prof. Waldemar Kostewicz – President PTL

Prof. Jerzy Woy-Wojciechowski – Honorary President PTL

Prof. Tadeusz Petelenz

International Editorial Board – in-Chief:

Marek Rudnicki

Chicago, USA

International Editorial Board – Members:

Kris Bankiewicz	San Francisco, USA	George Krol	New York, USA
Christopher Bara	Hannover, Germany	Krzysztof Łabuzek	Katowice, Poland
Krzysztof Bielecki	Warsaw, Poland	Henryk Majchrzak	Katowice, Poland
Zana Bumbuliene	Vilnius, Lithuania	Ewa Małecka-Tendera	Katowice, Poland
Ryszarda Chazan	Warsaw, Poland	Stella Nowicki	Memphis, USA
Stanislav Czudek	Ostrava, Czech Republic	Alfred Patyk	Gottingen, Germany
Jacek Dubiel	Cracow, Poland	Palmira Petrova	Yakutsk, Russia
Zbigniew Gasior	Katowice, Poland	Krystyna Pierzchała	Katowice, Poland
Andrzej Gładysz	Wrocław, Poland	Tadeusz Płusa	Warsaw, Poland
Nataliya Gutorova	Kharkiv, Ukraine	Waldemar Priebe	Houston, USA
Marek Hartleb	Katowice, Poland	Maria Siemionow	Chicago, USA
Roman Jaeschke	Hamilton, Canada	Vladyslav Smiiianov	Sumy, Ukraine
Andrzej Jakubowiak	Chicago, USA	Tomasz Szczepański	Katowice, Poland
Oleksandr Katrushov	Poltava, Ukraine	Andrzej Witek	Katowice, Poland
Peter Konturek	Saalfeld, Germany	Zbigniew Wszolek	Jacksonville, USA
Jerzy Korewicki	Warsaw, Poland	Vyacheslav Zhdan	Poltava, Ukraine
Jan Kotarski	Lublin, Poland	Jan Zejda	Katowice, Poland

Managing Editor:

Agnieszka Rosa

amarosa@wp.pl

Graphic design / production:

Grzegorz Sztank

www.red-studio.eu

International Editor:

Lesia Rudenko

l.rudenko@wydawnictwo-aluna.pl

Publisher:

ALUNA Publishing House

ul. Przesmyckiego 29, 05-510 Konstancin – Jeziorna

www.wydawnictwo-aluna.pl www.wiadomoscilekarskie.pl

www.wiadlek.pl

Distribution and Subscriptions:

Bartosz Guterman prenumerata@wydawnictwo-aluna.pl

FOR AUTHORS

1. The monthly "Wiadomości Lekarskie" Journal is the official journal of the Polish Medical Association. Original studies, review papers as well as case reports are published.
2. The publication of the manuscript in "Wiadomości Lekarskie" is paid. The cost of publishing the manuscript is PLN 1,000 plus 23% VAT (for foreign authors: in 2020 – 200€). If the first author of the manuscript is a member of the Editorial Board or a team of journal reviewers, we do not charge a fee for printing the manuscript, and if she or he is the next co-author – the fee is PLN 500 plus 23% VAT. The publisher issues invoices. The fee should be paid after receiving positive reviews, and before publishing the manuscript. Membership of the Polish Medical Association with documented paid membership fees for the last 3 years is also the exempt from publication fee.
3. Only papers in English are accepted for publication. The editors can help in finding the right person for translation or proofreading.
4. Papers should be sent to the editor via the editorial panel (Editorial System), available on the journal's website at <https://www.wiadlek.pl>. In order to submit an article, free registration in the system is necessary. After registration, the author should follow the instructions on the computer screen.
5. All editorial work is under control and using the editorial panel. This applies in particular to sending manuscripts, correspondence between the editor and author and the review process. In special cases, the editor may agree to contact outside the panel, especially in case of technical problems.
6. Acceptable formats for individual elements of the article are as follows:
 - A) Content of the article – doc, docx, rtf, odt.
 - B) Tables – doc, docx, rtf, odt
 - C) Figures – JPG, GIF, TIF, PNG with a resolution of at least 300 dpi
 - D) Captions for figures and tables.
 These elements are sent to the editor separately using the editorial panel. References and article metadata such as titles, keywords, abstracts etc. are supplemented by the author manually in the editorial panel in appropriate places.
7. The volume of original papers – including figures and references – must not exceed 21,600 characters (12 pages of typescript), and review papers – up to 28,800 characters (16 pages).
8. The original manuscript should have the following structure: Introduction, Aims, Material and methods, Results, Discussion and Conclusions which cannot be a summary of the manuscript.
9. When using abbreviations, it is necessary to provide the full wording at the first time they are used.
10. In experimental manuscripts in which studies on humans or animals have been carried out, as well as in clinical studies, information about obtaining the consent of the Ethics Committee should be included.
11. The Editorial Board follow the principles contained in the Helsinki Declaration as well as in the Interdisciplinary Principles and Guidelines for the Use of Animals in Research, Testing and Education, published by the New York Academy of Sciences Ad Hoc Committee on Animal Research. All papers relating to animals or humans must comply with ethical principles set out by the Ethics Committee.
12. The abstract should contain 150-250 words. Abstracts of original, both clinical and experimental, papers should have the following structure: Aims, Material and methods, Results, Conclusions. Do not use abbreviations in the title or the abstract. The abstract is pasted or rewritten by the authors into the appropriate field in the application form in the editorial panel.
13. Keywords (3-5) should be given according to MeSH (Medical Subject Headings Index Medicus catalogs – <http://www.nlm.nih.gov/mesh/MBrowser.html>). Keywords cannot be a repetition of the title of the manuscript.
14. Illustrative material may be black and white or color photographs, clearly contrasting or drawings carefully made on a white background. With the exception of selected issues, the Journal is printed in shades of gray (black and white illustrations).
15. The content of the figures, if present (e.g. on the charts), should also be in English
16. Links to all tables and figures (round brackets) as well as references (square brackets) the author must place in the text of the article.
17. Only references to which the author refers in the text should be included in the list of references ordered by citation. There should be no more than 30 items in original papers and no more than 40 items in review papers. Each item should contain: last names of all authors, first letters of first names, the title of the manuscript, the abbreviation of the journal title (according to Index Medicus), year, number, start and end page. For book items, please provide: author's (authors') last name, first letter of the first name, chapter title, book title, publisher, place and year of publication. It is allowed to cite websites with the URL and date of use of the article, and if possible the last names of the authors. Each literature item should have a reference in the text of the manuscript placed in square brackets, e.g. [1], [3-6]. Items should be organized as presented in Annex 1 to these Regulations.
18. When submitting the article to the editor, the authors enclose a statement that the work was not published or submitted for publication in another journal and that they take full responsibility for its content, and the information that may indicate a conflict of interest, such as:
 1. financial dependencies (employment, paid expertise, consulting, ownership of shares, fees),
 2. personal dependencies,
 3. academic and other competition that may affect the substantive side of the work,
 4. sponsorship of all or part of the research at the stage of design, collection, analysis and interpretation of data, or report writing.
19. The authors in the editorial panel define their contribution to the formation of scientific work according to the following key:
 - A – Work concept and design
 - B – Data collection and analysis
 - C – Responsibility for statistical analysis
 - D – Writing the article
 - E – Critical review
 - F – Final approval of the article.
20. In the editorial panel along with the affiliation, the author also gives her or his ORCID number.
21. The Journal is reviewed in double, blind review mode. The submitted papers are evaluated by two independent reviewers and then qualified for publishing by the Editor-in-Chief. Reviews are anonymous. The authors receive critical reviews with a request to correct the manuscript or with a decision not to qualify it for publishing. The procedure for reviewing articles is in line with the recommendations of the Ministry of Science and Higher Education contained in the paper "Good practices in review procedures in science" (Warsaw 2011). Detailed rules for dealing with improper publishing practices are in line with COPE guidelines. The publishing review rules are in the Review Rules section.
22. Each manuscript is subject to verification in the anti-plagiarism system.
23. Manuscripts are sent for the author's approval. The author's corrections should be sent within the time limit indicated in the system. No response within the given deadline is tantamount to the author's acceptance of the submitted material. In special cases, it is possible to set dates individually.
24. Acceptance of the manuscript for publishing means the transfer of copyright to the Aluna Publishing House (Aluna Anna Łuczyńska, NIP 5251624918).
25. Articles published on-line and available in open access are published under Creative Commons Attribution-Non Commercial-No Derivatives 4.0 International (CC BY-NC-ND 4.0) allowing to download articles and share them with others as long as they credit the authors and the publisher, but without permission to change them in any way or use them commercially.
26. The authors receive a free PDF of the issue in which their manuscript is enclosed, and on request – a printed copy. The printed copy is sent to the address indicated by the authors as the correspondence address.
27. Manuscripts not concordant with the above instructions will be returned to be corrected.
28. The editors do not return papers which have not been commissioned.
29. The editors take no responsibility for the contents of the advertisements.

CONTENS

ORIGINAL ARTICLES

Nataliia G. Gadzhula, Mariia M. Shinkaruk-Dykovytska, Olena L. Cherepakha, Maryna A. Goray, Irina M. Horlenko EFFICIENCY OF USING THE DIODE LASER IN THE TREATMENT OF PERIODONTAL INFLAMMATORY DISEASES	841
Petro A. Hasiuk, Nataliia V. Malko, Anna B. Vorobets, Viktoriya V. Ivanchyshyn, Svitlana O. Rosolovska, Mariia M. Korniienko, Oleksandr A. Bedenyuk THE INTENSITY OF CHRONIC CATARRHAL GINGIVITIS IN CHILDREN DEPENDING ON THE AGE	846
Natalia O. Terenda, Arkadii H. Shulhai, Yurii M. Petrashyk, Olha N. Lytvynova, Natalia Y. Panchyshyn, Natalia O. Slobodian, Liudmyla V. Lishtaba, Valentyna L. Smirnova, Larysa P. Zaporozhan IMPACT OF CERTAIN PUBLIC HEALTH FACTORS ON THE DURATION OF INPATIENT TREATMENT OF MI PATIENTS	850
Tatiana V. Chernii THE ROLE OF CHOLINERGIC INSUFFICIENCY IN COGNITIVE IMPAIRMENT AMONG PATIENTS WITH CHRONIC CEREBRAL ISCHEMIA	857
Dmytro V. Kalashnikov, Petro A. Hasiuk, Anna B. Vorobets, Svitlana O. Rosolovska, Dmytro D. Kindiy, Anna O. Hrad, Serhii G. Zubchenko FEATURES OF THE COURSE OF ENAMEL BIOMINERALIZATION PROCESSES IN VARIOUS ANATOMICAL AREAS OF THE TOOTH	864
Iryna M. Nikitina, Volodymyr I. Boiko, Svitlana A. Smiiian, Tetiana V. Babar, Natalia V. Kalashnyk, Alesia V. Boiko, Natalia A. Ikonopystseva, Maryna A. Bolotna ESTIMATION TO EFFICIENCY OF THE MULTIFUNCTION METHOD OF ENDOMETRIOSIS OVARIES TREATMENT	868
Dmytro D. Diachuk, Yurii B. Yashchenko, Iryna E. Zabolotna, Liudmyla V. Yashchenko MODEL OF MEDICAL-SOCIAL MONITORING OF OBESITY IN CHILDREN (STRUCTURE AND FUNCTIONS AT THE LEVEL OF HEALTH CARE INSTITUTION)	873
Ihor V. Serheta, Olha P. Mostova, Olexander Y. Panchuk, Inna L. Drezhenkova PHYSIOLOGICAL-HYGIENIC STANDARDS OF MOTOR ACTIVITY OF STUDENTS OF HIGHER EDUCATION INSTITUTIONS AND SCIENTIFIC SUBSTANTIATION OF WAYS OPTIMIZATION IN THE CONTEXT OF FORMATION OF EFFECTIVE PUBLIC HEALTH SYSTEM	877
Olga A. Yepanchintseva, Kyrylo O. Mikhaliev, Inga V. Shklianika, Oleg J. Zharinov, Boris M. Todurov THE ROLE OF BASIC PHARMACOTHERAPY IN THE PREVENTION OF LATE ADVERSE EVENTS AFTER ELECTIVE CORONARY ARTERY BYPASS GRAFTING	883
Volodymyr O. Shaprynskyi, Stepan S. Skalskyi, Yevhen V. Shaprynskyi, Andriy V. Verba, Viktor M. Makarov COMPLEX TREATMENT OF PURULENT WOUNDS WITH THE USE OF HIGH-PRESSURE AERODISPERSE MIXTURE	889
Aidyn G. Salmanov, Serhii E. Savchenko, Kyrylo Chaika, Alla D. Vitiuk, Iana Ruban, Olena A. Dyndar, Dmytro Zhelezov, Ludmila Vorobey, Liudmila M. Semeniuk, Natalia V. Hetsko, Olga V. Tsmur, Lidiya V. Suslikova, Tetiana R. Nykoniuk, Yelizaveta Ye. Shunko, Halyna V. Beketova, Lyudmila V. Manzhula, Valentyna V. Kurochka, Esmira R. Abbasova POSTPARTUM MASTITIS IN THE BREASTFEEDING WOMEN AND ANTIMICROBIAL RESISTANCE OF RESPONSIBLE PATHOGENS IN UKRAINE: RESULTS A MULTICENTER STUDY	895
Oleksandr I. Smiiian, Yuliia A. Man'ko, Andrii M. Loboda, Sergii V. Popov, Igor Yu. Vysots'kyi, Victoria O. Petrashenko, Igor M. Martsovenko, Kateryna O. Smiiian, Valentina A. Plakhuta, Volodymyr M. Serhiyenko, Olena L. Ovsyanko, Tatiana O. Aleksakhina, Al-Rawashdeh Bara INFLUENCE OF MAGNESIUM ON THE STATE OF THE CARDIOVASCULAR SYSTEM IN CHILDREN WITH CHRONIC TONSILITIS	904
Kateryna G. Valikhnovska, Iryna M. Savytska, Prysyazhna R. Nataliya, Yaroslav Y. Voitiv EXPERIMENTAL STUDIES OF THE EFFECT OF ELECTROSURGICAL AND STANDARD TECHNIQUES ON PANCREATIC RESTORATION	909
Liudmyla V. Khimion, Alina V. Boiko FEATURES OF THE INTERCONNECTION OF TRADITIONAL RISK FACTORS AND IL-10 WITH THE ACTIVITY OF THE INFLAMMATORY PROCESS AND ATHEROSCLEROSIS DEVELOPMENT IN PATIENTS WITH PSORIATIC ARTHRITIS	914
Larisa A. Sarafinjuk, Olga P. Khapitska, Larysa Ya. Fedoniuk, Lyudmila V. Fomina, Daria A. Merkulova, Yuriy V. Kyrychenko, Petro V. Sarafinjuk THE PECULIARITIES OF THE BODY'S EXTERNAL STRUCTURE AND INDICATORS OF CENTRAL HEMODYNAMICS OF VOLLEYBALL PLAYERS OF DIFFERENT POSITIONS	920
Vasyl M. Mykhalchuk, Nina G. Goida, Anatolii V. Tsarenko PROFESSIONAL POSTGRADUATE TRAINING OF FAMILY DOCTORS – AN IMPORTANT PART AND CONDITION OF THE OPTIMAL PALIATIVE AND HOSPISE CARE SYSTEM IMPLEMENTATION IN UKRAINE	925
Valeriya V. Brych, Hennagy O. Slabkiy, Mykhailo M. Vasylynets, Mariana M. Dub TRAUMATISM AND SOME ASPECTS OF TRAUMA CARE IN TRANS-CARPATHIAN REGION AS A PART OF PUBLIC HEALTH	931
Tetiana S. Gruzieva, Nataliia V. Hrechyskhina, Mykhailo D. Diachuk, Vasyl A. Dufynets REDUCING HEALTH INEQUALITIES AS A COMPONENT OF THE HEALTH TRAINING PROGRAMS	937
Olha M. Chernatska, Liudmyla N. Prystupa, Hanna A. Fadiieva, Alina V. Liashenko, Yuliia O. Smiiianova ARTERIAL HYPERTENSION ASSOCIATED WITH HYPERURICEMIA: FEATURES OF HEART DAMAGE	943

ORIGINAL ARTICLE

TRAUMATISM AND SOME ASPECTS OF TRAUMA CARE IN TRANSCARPATHIAN REGION AS A PART OF PUBLIC HEALTH

DOI: 10.36740/WLek202005117

Valeriya V. Brych, Hennagy O. Slabkiy, Mykhailo M. Vasylynets, Mariana M. Dub

STATE HIGHER EDUCATIONAL INSTITUTION «UZHGOROD NATIONAL UNIVERSITY», UZHGOROD, UKRAINE

ABSTRACT

The aim is to study and analyze the levels of general traumatism of the population, some aspects of trauma care in Transcarpathian region regarding administrative units.

Materials and methods: Medical-statistical, graphic and biblio-semantic methods were used. The data of sectoral statistical reporting in Transcarpathian region for 2014–2018 formed the base of the study.

Results: It is determined that the highest rates of traumatism (over 470 per 10 thousand population) are characteristic for the eastern districts of the region; the average indicators (260–470 per 10 thousand population) – for the northern and southern ones, and the lowest (less than 260 per 10 thousand population) – for the central and western parts of the region. The inequality of distribution of traumatological beds in the region in relation to the levels of injury in the administrative territories was determined.

Conclusions: With the established tendency to decrease of general traumatism in Transcarpathian region for the period 2014–2018, significant inequalities of the specified indicator and inconsistency of traumatological beds availability in the administrative territories were revealed.

KEY WORDS: traumatism, Transcarpathian region, trauma care.

Wiad Lek. 2020;73(5):931–936

INTRODUCTION

An important goal of each state and its society is to ensure sustainable public health, which involves fulfilling the key objectives identified by the Regional Office for Europe of the World Health Organization (WHO) in the *European Action Plan for Strengthening Public Health Capacities and Services* [1]. The first operational function of public health is “Epidemiological surveillance and assessment of health and well-being of the population”. This feature assesses the health of local communities, identifies health issues and inequalities of specific populations, identifies needs, and plans action based on objective data, and provides trauma surveillance as one of the items [2]. It is well known that traumatism is the third leading cause of mortality in WHO European Region, and it threatens economic and social development [3]. Studies of changes over time, both between countries and domestically, show significant trends in the reduction of trauma in recent decades. Despite the downward trend in risk, relative social inequality in trauma remains a public health problem in the European Region [4].

WHO notes that injuries are a major cause of death for people aged 5–49, and mortality from injury is 2.4 times higher in low- and middle-income countries compared to high-income countries [5]. In Europe, there is a huge breakdown in social, economic, commercial, physical, climatic, environmental, geographical and political determinants, which leads to inequality in trauma rates between and within countries [6].

In Ukraine, the issue of traumatism is also important. According to the Department of Emergency Management of the State Emergency Service of Ukraine for 12 months of

2018, 1 million 660 thousand 954 accidents of non-productive nature were registered in Ukraine, as a result of which 1 million 664 thousand 222 people were injured. The smallest number of non-productive accident victims – 1.17% of the total – was registered in Transcarpathian region (19 thousand 505 people). At the same time, according to the statistical guide “Network of Institutions and Main Indicators of the Health Care System of Transcarpathian Region in 2018”, the level of total traumatism in the region was 355.3 per 10 thousand population [7]. The most western region of Ukraine is of particular interest because it is on the border with 4 European countries and has specific geographical features.

The total level of injury among the whole population in Transcarpathian region over the 5 years, since 2014 decreased by 7.5%. This period was characterized by an increase in the share of domestic injuries, a decrease in street and minor fluctuations in road, sports and industrial types of traumatism [8]. These data require more detailed study in order to plan public health interventions at the regional level.

THE AIM

The aim is to study and analyze the levels of general traumatism of the population, some aspects of trauma care in Transcarpathian region regarding administrative units.

MATERIALS AND METHODS

Medical, statistical, graphic, and biblio-semantic methods were used in the study. The data of the sectoral statistical

reporting in Transcarpathian region constituted materials of the study. Separate indicators of trauma care in the region by administrative units (availability of hospital beds for trauma-suffering patients) are analyzed. The application of these methods in the study was reviewed and approved by the committee on ethics of state higher educational institution «Uzhhorod National University» (protocol No. 3 of December 11, 2020).

RESULTS

In the course of the study, the indicators of general traumatism of the population of Transcarpathian region and administrative territories were studied and analyzed. The obtained data are presented in table I.

The analysis of indicators given in Table 1 show a tendency to decrease the levels of injuries for the period of 2014-2018, both in the region as a whole (Fig. 1) and in separate administrative units (Fig. 2).

Only one administrative unit – Rakhiv district – saw a gradual annual reduction in the level of traumas within the range of 1.6-4.2%: from 597.2 per 10 thousand population in 2014 to 535.6 per 10 thousand population in 2018. The tendency to decrease the levels of injuries for the period 2014-2018 is established in 9 administrative units (64%): Vynohradiv, Volovets, Irshava, Mukachevo, Perechyn, Svaliava, Uzhhorod, Khust districts and city of Uzhhorod. At the same time, in each of these districts there was an increase in the number of injuries in certain years – mainly in 2016 and 2017.

Table I. Traumatism in Transcarpathian region, 2014-2018 (per 10 thousand population).

Administrative territory	2014	2015	2016	2017	2018
Transcarpathian region	384,1	377,1	388,1	359,1	355,3
Berehove district	413,1	426,7	467,2	451,8	454,8
Velykyi Bereznyi district	302,1	245,3	277,6	313,5	316,3
Vynohradiv district	455,8	454,4	516,3	490,6	406,8
Volovets district	354,4	364,7	384,3	339,0	304,9
Irshava district	214,1	261,7	233,9	197,3	179,3
Mizhhirya district	445,6	408,5	430,0	466,6	474,7
Mukachevo district	284,8	253,8	281,4	218,5	208,9
Perechyn district	352,4	368,1	436,8	505,3	355,2
Rakhiv district	597,2	582,1	572,6	559,1	535,6
Svaliava district	313,1	340,7	331,4	235,1	198,8
Tiachevo district	510,4	476,5	533,2	456,4	546,1
Uzhhorod district	228,1	125,5	119,9	128,1	94,9
Khust district	316,3	299,6	317,5	294,9	301,7
City of Uzhhorod	459,8	455,2	426,7	441,5	451,8




Fig. 1. Dynamics of general traumatism in Transcarpathian region for the period 2014-2018 (per 10 thousand population)




Fig. 2. Dynamics of general traumatism in the context of administrative territories of Transcarpathian region for the period 2014-2018 (per 10 thousand population)

In order to better understand the differences in territorial traumatism rates, a comparison was made of the average levels of injuries of administrative territories with the average regional indicator over a 5-year period (2014-2018), taking into account the average deviation. Thus, it was determined that at an average regional figure of traumatism 365,2 per 10 thousand population the value of the average deviation was 102,9. Accordingly, regions with a low level of traumatism are classified as having a figure below 260

per 10 thousand population, for regions with a high level the figure is higher than 470 per 10 thousand population. Accordingly, the regions with average traumatism rates include those for which the average traumatism rate is within the range of 260-470 per 10 thousand population.

Comparison of average traumatism rates by districts of the region for 2014-2018 is presented in fig. 3.

As can be seen from the indicators in Fig. 3 the highest average rates of traumatism were registered in 2014 – 2018

Table II. Provision of traumatological beds in Transcarpathian region, 2014-2018 (absolutely and per 10 thousand population)

Administrative territory	2014		2015		2016		2017		2018	
	abs.	%o	abs.	%o	abs.	%o	abs.	%o	abs.	%o
Transcarpathian region	392	3,1	397*	3,16	390	3,1	399	3,2	399	3,2
Berehove district	30	4,0	30	4,0	30	4,0	30	4,0	30	4,0
Velykyi Bereznyi district	12	4,5	12	4,5	7	2,6	7	2,6	7	2,6
Vynohradiv district	40	3,3	40	3,3	40	3,3	40	3,3	40	3,3
Volovets district	13	5,3	13	5,3	13	5,3	13	5,3	13	5,3
Irshava district	30	3,0	30	3,0	30	3,0	30	3,0	30	3,0
Mizhhirya district	17	3,6	17	3,6	17	3,6	17	3,6	17	3,6
Mukachevo district	50	2,7	45	2,4	45	2,4	45	2,4	45	2,4
Perechyn district	17	5,3	17	5,3	15	4,7	15	4,7	15	4,7
Rakhiv district	38	4,1	38	4,1	38	4,1	38	4,1	38	4,1
Svaliava district	20	3,7	20	3,7	20	3,7	24	4,4	24	4,4
Tiachevo district	40	2,3	40	2,3	40	2,3	40	2,3	40	2,3
Uzhhorod district	-	-	-	-	15	1,9	20	2,8	20	2,8
Khust district	50	3,9	50	3,9	45	3,5	45	3,5	45	3,5
City of Uzhhorod	35	3,1	35	3,1	35	3,1	35	3,1	35	3,1

* total number of beds includes those in hospital of departmental subordination (10 beds)




Fig. 3. Rates of general traumatism in Transcarpathian region, 2014-2018




Fig. 4. Traumatology hospital beds, 2018

in the eastern districts of the region (Tiachevo, Rakhiv). Low level of traumatism is characteristic for the western and central part of the region (Uzhhorod, Mukachevo, Irshava districts). In the north and south of the region (Velykyi Bereznyi, Perechyn, Volovets, Svaliava, Mizhhirya, Khust, Vynohradiv and Berehove districts), as well as in

the regional center (Uzhhorod), the level of traumatism in 2014-2018 was average. The next stage was the study and analysis of individual indicators of traumatic assistance to the population of Transcarpathian region. In the region, inpatient trauma care was provided in all administrative units in district

health facilities, as evidenced by the availability of traumatological beds at health care facilities (Table II).

For 2014-2018, the provision of traumatological beds in the region varied slightly and amounted to 3.1-3.2 per 10 thousand population. Beds were reduced in 2016 only in three administrative units with the approximation to regional indicator in Velykyi Bereznyi (by 42%), Perechyn (by 12%) and Khust (by 10%) districts. It should be noted that the levels of general traumatism in Velykyi Bereznyi and Perechyn districts have been increasing since 2016. At the same time, traumatological beds (15) were opened in Uzhhorod district in 2016, and in 2017 their number increased by 33% (20 beds).

Comparison of traumatism rates in 2014 – 2018 with the state of availability of traumatological beds at the end of 2018 regarding districts of the region is presented in Fig. 4.

When analyzing the data presented in Fig. 4 it is established that there is an inequality of distribution of traumatological beds in the area relative to the levels of injury.

DISCUSSION

Traumatism has significant medical and social importance for the state and each of its regions, since its spread affects the mortality rate, causes significant economic losses in production, leads to increased costs of medical care, rehabilitation treatment and maintaining the quality of life of individuals with disabilities.

Special attention has been given to the westernmost region of Ukraine, the Transcarpathian region, which is characterized by certain features: the predominance of rural population (63%), borderline placement (with 4 other countries), a large number of villages with the status of mountain settlements, recurrent natural disasters such as floods, massive migration to other regions of Ukraine and abroad, and so on. The specific features of each region should be taken into account in developing injury prevention and trauma care measures [8].

The analysis of the above indicators revealed that only in half of the administrative territories (7 districts), during all the years of the study period, the levels of traumatism were below the average in the region: Velykyi Bereznyi, Volovets, Irshava, Mukachevo, Svaliava, Uzhhorod and Khust districts.

It should be noted that the marginal differences between the indicators in 2015-2017 were registered between Uzhhorod (94.9-128.1 per 10 thousand population) and Rakhiv (559.1-582.1 per 10 thousand population) districts, which constituted 4.4-4.6 times. In 2014, the marginal difference was 2.8 times: between Irshava (214.1) and Rakhiv (597.2) districts. And in 2018, for the first time the highest rate of traumatism was registered in Tiachevo district – 546.1 per 10 thousand population, and the maximum difference with the lowest level in Uzhhorod district (94.2) was 5.8 times.

The highest rates of traumatism (over 470 per 10 thousand population) are typical for eastern districts of the region, but the availability of traumatological beds is insufficient there (in Tiachevo district – 2.3 per 10 thousand population at the level of traumatism 504.5 per 10 thousand population).

Average rates of traumatism (260-470 per 10 thousand population) are determined for northern and southern administrative units, which are predominantly provided with traumatological beds at 2.8-4.2 per 10 thousand population and above 4.2 per 10 thousand population. The lowest rates of traumatism (less than 260 per 10 thousand population) are characteristic for central and western parts of the region. The availability of traumatological beds in these administrative units is 2.4-3.1 per 10 thousand population and corresponds to the levels of traumatism. Therefore, the discrepancy of traumatological beds availability in accordance with the indicators of traumatism regarding administrative territories of the region was revealed.

Planning for the provision of traumatological care, and accordingly the provision of traumatological beds, should be carried out not on the principle of distribution by population but on the actual indicators of traumatism in separate administrative units. In addition, it is important to analyze certain types of injuries across administrative territories, which will allow planning of both the health care system and public health activities to prevent the occurrence of all types of traumatism and preserve the working capacity of the population in the region.

CONCLUSIONS

1. With the established tendency to decrease of the general traumatism in Transcarpathian region for the period 2014-2018, significant inequalities of the specified indicator in the administrative units were revealed.
2. It was found that the highest rates of traumatism (over 470 per 10 thousand population) are characteristic for the eastern districts of the region, the average rates (260-470 per 10 thousand population) – for the northern and southern ones, and the lowest (less than 260 per 10 thousand population) – for the central and western parts of the region.
3. The discrepancy of traumatological beds availability in accordance with the indicators of traumatism regarding administrative territories of the region was found.

The analysis of the epidemiological situation of traumatism and system of providing trauma care is an important factor in planning the activity of health care system and preventive measures of public health care system.

REFERENCES

1. World Health Organization, European Action Plan for Strengthening Public Health Capacities and Services. Copenhagen: Regional Committee for Europe; 2012. Available from: http://www.who.int/workforcealliance/knowledge/resources/Health2020_policy.pdf.
2. Slabkiy G.O., Myronyuk I.S., Shafranskiy V.V. Epidemiolohichniy nahliad yak osnovna funktsiia hromadskoho zdorovia [Epidemiological supervision as the main function of public health]. Ukraine. Nation's Health. 2017; 4(45): 97-100. (UA)
3. Sethi D., Mitis F., Racioppi F. Preventing injuries in Europe: from international collaboration to local implementation. Copenhagen: WHO Regional Office for Europe; 2010. Available from: <http://www.euro.who.int/en/publications/abstracts/preventing-injuries-in-europe-from-international-collaboration-to-localimplementation>.

4. Sengoelge M., Leithaus M., Braubach M., Laflamme L. Are There Changes in Inequalities in Injuries? A Review of Evidence in the WHO European Region. *International Journal of Environmental Research and Public Health*. 2019; 16(4): 653. doi.org/10.3390/ijerph16040653
5. Aldridge E., Sethi D., Yon Y. Injuries: a call for public health action in Europe. Copenhagen: WHO Regional Office for Europe; 2017. Available from: (http://www.euro.who.int/__data/assets/pdf_file/0018/348102/WH08_IJ_complete-web-version.pdf?ua=1).
6. Review of social determinants and the health divide in the WHO European Region: final report. Updated reprint 2014. Copenhagen: WHO Regional Office for Europe; 2014. Available from: http://www.euro.who.int/__data/assets/pdf_file/0004/251878/Review-of-social-determinants-and-the-health-divide-in-the-WHO-European-Region-FINAL-REPORT.pdf
7. Network of health care facilities and key performance indicators of health care system of Transcarpathian region for 2018. Transcarpathian Regional Medical Information and Analytical Center. Uzhhorod, 2019, p.152.
8. Brych V.V. Characteristics of traumatism of the population of Transcarpathian region. In: Slabkiy G.O., Bilak-Lukianchuk V.Yo., Brych V.V. et al. Current issues of health care and physical rehabilitation: collective monograph. Lviv-Torun: Liha-Pres: 2019: 44-61.

The work was performed within the framework of Scientific Research Work "Scientific Support for Regional Health Care Reform" / Code 51A-2015, State Registration Number 0112U001923.

ORCID and contributionship:

Valeriya V. Brych – 0000-0003-3741-6002 ^{A,B,C,D}

Hennagy O. Slabkiy – 0000-0003-2308-7869 ^{A,E,F}

Mykhaylo M. Vasylynets – 0000-0002-4687-1472 ^{C,D}

Mariana M. Dub – 0000-0002-2737-960X ^{A,B}

Conflicts of Interest:

The Authors declare no conflict of interest.

CORRESPONDING AUTHOR

Valeriya V. Brych

Uzhhorod National University

Mytna str., 29, Uzhhorod, 88000, Ukraine

tel: +380505133562

e-mail: valeria.bruch@uzhnu.edu.ua

Received: 27.01.2020

Accepted: 02.04.2020

A – Work concept and design, **B** – Data collection and analysis, **C** – Responsibility for statistical analysis, **D** – Writing the article, **E** – Critical review, **F** – Final approval of the article